# **MASS DIGITIZATION SYSTEM**



- Automatic book scanner
- Including semi-automatic & manual mode
- Unique 60° V-shape book cradle
- Up to 2,500 pages per hour
- Patented prism capturing technology





WORLDWIDE ESTABLISHED IN OVER 40 COUNTRIES



# **SYSTEM OVERVIEW**


# ScanRobot® 2.0 MDS

### **Highly comprehensive & integrated system**

- Automatic book scanner
- Single scan technology (for covers, spine, fold outs, ...)
- Control computer workstation with widescreen monitor
- Image treatment & management software ScanGate<sup>™</sup>
- Self standing unit on wheels for easy relocating
- Highly ergonomic design



### **Unique hardware features**



#### Patented capturing technology

- \* Most advanced scanning device
- \* One central capturing unit
- \* Equal and constant focus
- \* No mechanical shutter

#### Only one mechanical moving part

- \* Robust and simple design
- \* Suitable for 24h shift operation
- \* Low maintenace

#### Wooden book cradle

- \* Self centering
- \* Adjustable between 60° and 100°
- \* Minimum load/unload time
- \* For hard and soft covers




# **ADVANTAGES**

# ScanRobot® 2.0 MDS

### Page turning technology



- Most gentle & touch free page turning by air flow
- Automatic (up to 2,500 pph) with process monitoring &. double sheet control
- Semi-automatic (up to 1,000 pph)
- Manual single scan mode (up to 350 pph)
- No clamps / fingers
- No glass plates













# **UNIVERSAL, GENTLE & ROBUST**

ScanRobot® 2.0 MDS

### Universal - suitable for any bound material










# Gentle - suitable for books up from the 14th century

- Opening angle 60°
- No overstretching of the book binding
- Pressure free scanning
- Touch free page turning by air flow
- LED lightning without any radiation of heat, infrared or UV



#### **Robust - low maintenance**

- Suitable for 24h-shift operation
- Only one active moving part
- High quality industrial components
- Worldwide customer proven






# **IMAGE QUALITY - 1/3**


# ScanRobot® 2.0 MDS

#### ScanRobot®



- No distortions
- No curves
- No waves
- · Exact page margin scan
- Perfect illumination

## **Planetary scanner**



- Distortions
- Curves
- No exact page margin
- Inhomogeneous illumination

#### **Upcoming challenges**

- Page cropping
- Changing page sizes
- More post processing
- Uncertain OCR results












# **IMAGE QUALITY - 2/3**

# ScanRobot® 2.0 MDS

### ScanRobot<sup>®</sup>





- No size & resolution variation
- No colour variation
- No focus & sharpness variation

#### Result

· No corrections needed

### 1 capturing unit = 1 scan result

## Camera devices\*





2 cameras = 2 scan results

- · Different size & resolution
- · Different colour
- · Different focus & sharpness

#### **Upcoming challenges**

- Resolution correction
- Colour correction
- Focus & sharpness correction

\*Effects are amplified for demonstration reasons



# **IMAGE QUALITY - 3/3**

# ScanRobot® 2.0 MDS

#### ScanRobot®



- Single page image
- Easy page edge detection
- Easy cropping
- Artefact free
- No clamps / fingers
- No removing needed

#### Other scanner

# Disturbing book block



- Page edge detecting challenge
- Cropping challenge

#### Image artefacts





- Artefacts like clamps or fingers
- Removing challenge





## **Customer feedback**

"The ScanRobot" can scan almost any types of book, binding or paper (e.g. Leather-covered wooden bindings, flexible parchment bindings, cardboard bindings, thick, thin or rigid paper)."

The Bavarian State Library


"Treventus Mechatronics GmbH submitted a tender that offers some very clear advantages. [...] The evaluation group's assessment is that no other supplier can match the tender from Treventus Mechatronics GmbH."

Swedish tender evaluation committee (8 specialists)

"The unique image-taking and page-turning technique of the ScanRobot® shows its benefits in particular with thick books. [...] the pages can be scanned [...] absolutely distortion-free and without any shadows [...] up to just a few mm into the fold."

**Digitization Center Regensburg** 

WORLDWIDE ESTABLISHED IN OVER 40 COUNTRIES







# Capturing & Processing Software

### **Advantages**

- Interface for different scanner hardware
- Real-time preview for image treatment
- Automated image processing functions
- Meta data interface
- Multi language user interface



Please find more information about ScanGate<sup>™</sup> in the separate product brochure.


## INTEGRATED WORKFLOW MODULE

Fully compatible to the ScanFlow<sup>™</sup> Professional workflow software environment.

## **Advantages**

- · Creating of an individual workflow for fast post processing
- Automatic background processing like image treatment functions
- Included pre-defined "customer proved workflows"
- Automated import of external images
- Automated interaction with the optional OCR-engine
- Increasing the throughput & quality

Please find more information about ScanFlow<sup>™</sup> Professional in the separate product brochure.













# **SPECIFICATIONS & SCOPE OF DELIVERY**

# ScanRobot® 2.0 MDS

### **Specifications**

• Speed up to 2,500 pages/hour\* (automatic mode)

up to 1,000 pages/hour\* (semi-automatic mode)

Page turning automatic with process monitoring (incl. double sheet control) or

semi-automatic and manual

Aperture angle
 60 degrees (steplessly adjustable between 60 and 100 degrees)

 Lightning user- and book-friendly LED lightning (without any exposure to heat, IR or UV)

• **Resolution** constant and independent of the page format

optical 300 dpi (included)

optical 400 dpi (optional)

Colour depth 36-bit

Image types colour, greyscale, b&w

• Page format (scanning area) minimum (2 times): 5 x 5 cm (1.97 x 1.97 in)

maximum (2 times): 32 x 32 cm (12.6 x 12.6 in)

• **Book size** (maximum) 35.5 x 35.5 cm (13.98 x 13.98 in)

Book thickness
 Paper thickness
 up to 15 cm (5.91 in)
 no restrictions

(recommended spectrum: 40 g/m² to 260 g/m²)

Paper quality
 all pages, also acid damaged and wavy pages

Covers all covers (soft and rigid)Book age 14th century up to now

• Storage formats jpg, jpg2000, tiff, tiff G4, png, gif, bmp, pdf, XML, DjVu

• **Dimensions** I/w/h (without monitor): 0,78 x 0,78 x 1,90 m (30.7 x 30.7 x 74.8 in)

• **Weight** 260 kg (573 lbs)

\* The page speed can vary depending on paper quality, book size and the book condition in general.

### Scope of delivery

- 1 pc Automatic book scanner ScanRobot® 2.0 (300 dpi standard, 400dpi optional)
- 1 pc Single-scan book scanner (flatbed A3)
- 1 pc Control Computer System (high-end PC-workstation)
- 1 pc EIZO 22" widescreen monitor (colour calibrated)
- 1 pc Integrated holder for monitor, keyboard and mouse
- 1 pc
  ScanGate<sup>™</sup> capturing, processing & management software (in many languages)
- incl. integrated workflow module

**OPTIONAL:** various OCR and WORKFLOW software packages





## **World Wide References**




Don Juan Archiv Wien, AUSTRIA Brazilian Institute of Agronomic Research, BRAZIL University of Prince Edward Island, CANADA AGN, National Archives of COLOMBIA NKP, National Library of CZECH REPUBLIC Bavarian State Library, GERMANY National University of Educational Planning & Administration, INDIA Trinity College Library, IRELAND Meteo Operation Center, JAPAN Nazarbaev University, KAZAKHSTAN Ministry of Awgaf and Islamic Affairs, KUWAIT LNB, National Library of LATVIA Mongol-Korea Technical College, MONGOLIA GMS Digitaliseert Service Provider, NETHERLANDS Nasjonalbiblioteket, National Library of NORWAY Academy of Science Library, POLAND Siberian Federal University, RUSSIA King Fahd Private Library, SAUDIA ARABIA Slovak National Library, SLOVAKIA Kungliga biblioteket, National Library of SWEDEN ETH Library of Zürich, SWITZERLAND Ukrainian Institute of Industrial Property, UKRAINE Archive Quest Service Provider, UNITED KINGDOM The Getty Research Institute, UNITED STATES Vietnam Institute of Social Sciences Information, VIETNAM

... and many more ...

Alphabetical order by countries.




# **PRODUCT FAMILY**











#### **Awards**

Winner of the European ICT Grand Prize Innovation prize of the Theodor Kery foundation 1<sup>st</sup> place in Genius Innovation Award TREVENTUS Mechatronics GmbH Siebenbrunnengasse 17 / Top 2 1050 Vienna - AUSTRIA

Tel: +43 1 890 35 10-02 Fax: +43 1 890 35 10-15

E-Mail: sales@treventus.com www.treventus.com